

Request for Quotations
Lowest Price, Technically Acceptable

Request for Quotation

RFQ Number: 21-0003 – 4 Courtrooms
Request Date: April 29, 2021

To Whom It May Concern:

This is a request for **Open Market Pricing**.

All items should be quoted **F.o.b. Destination, Within Judiciary Premises**.

A walk through will be completed on **Monday, May 10th from 10am-11am**. To register for the walk through, please contact Tony Centobie at tony_centobie@mow.uscourts.gov. A walk through is not required to submit a quote for the project, but highly encouraged.

Questions may be emailed to Stephanie Watson by **Friday, May 14th at 5:00pm** local time.

Quotes may be e-mailed to Stephanie Watson by **Wednesday, May 19th at 5:00pm** local time.

A fixed price award from this RFQ will be made based on the lowest priced, technically acceptable offer. Delivery and installation are desired within 60 days after receipt of order (ARO).

The **Delivery Address** for this purchase will be:

US District Court
c/o Tony Centobie
80 Lafayette Street
Suite 1212
Jefferson City, MO 65101

Sincerely,

Stephanie Watson
Contracting Officer
Email: stephanie_watson@mow.uscourts.gov
Phone: (816) 512-5070

SPECIFICATIONS / STATEMENT OF WORK

1. BACKGROUND

The Court is requesting open market pricing for the acquisition, installation, and configuration of the Audio/Video (A/V) equipment listed in Attachment 1 in our 4 courtrooms. The existing equipment has reached end of life (EOL)/support. The court wishes to replace the existing equipment in the A/V systems within the courthouse located at 80 Lafayette St., Jefferson City, MO 65101.

2. SCOPE/GENERAL REQUIREMENTS

2.1 – Contractor must provide replacement A/V equipment to maintain current A/V systems functionality to include integrating the new equipment into exiting A/V systems. Contractor must design the new A/V systems using the current model of replacement equipment and proved cables, connectors and hardware that go along with them. Contractor must maintain the same functionality as current equipment and maintain the same system functionality. In addition, the contractor must provide engineering, project management, control system programming to our current system, technician installation, labor, testing, training, and delivery.

2.2 – Court Information Technology (IT) personnel will perform acceptance testing in the presence of the contractor. (See Section 4.4.)

2.3 – Contractor must remove the retired equipment in such a fashion as to preserve the operability of each component. Removed equipment remains the property of the government.

2.4 – Contractor must demonstrate at least three years of comparable field experience installing and configuring A/V equipment. The contractor must have the following certifications: AVIXA CTS and CTS-D (formerly Infocomm), Crestron Programmer, Biamp & Tesira certified. An employee of the contractor shall have these certifications and not a 3rd party. The contractor must include in the quote whether a subcontractor will perform any part of these services and how that subcontractor will be managed during performance.

3. EQUIPMENT REQUIREMENTS

New equipment is to maintain the same system functionality and accommodate all functionality of the current A/V systems.

4. DELIVERABLES

- Courtrooms – Projectors for 4A and 4B
- Courtrooms – wireless microphone receivers/transmitters
- Courtrooms – Document cameras
- Courtrooms – Blu-ray/DVD players
- Courtrooms – Power amplifiers
- Courtroom 3A – Extron annotator 300, or equivalent, to include programming with current system
- Installation and proper configuration of equipment
- Engineering
- Project Management

4.1 – Delivery/Installation Schedule

The contractor shall perform installation services outside of court business hours (8:00 am – 5:00 pm (CST), Monday - Friday). The contractor shall coordinate scheduling room availability with local IT personnel and will be based upon room availability.

Deliverable	Date Due
Installer Certification Documentation	30 calendar days after date of the award
All equipment listed in Attachment 1	30 calendar days after date of the award
Installation, configuration, and acceptance testing	Not later than 30 calendar days after delivery of the equipment.
Removal of old equipment	Not later than 30 calendar days after delivery of the equipment.

4.2 – Judiciary Review Period for Deliverables

Deliverable	Review Period
Equipment	3 calendar days after receipt
Installation, configuration, and acceptance testing	3 calendar days after receipt
Removal of retired equipment	3 calendar days after receipt

4.3 – Acceptance Criteria

Deliverable	Criteria
Equipment	All equipment and associated hardware are present, accounted for and in good working condition.
Installation, configuration file copying, and configuration	Court IT personnel will be present for inspection, testing and approval of this deliverable to ensure 100% quality and performance as stated in Section 2. Contractor shall provide configuration files for all equipment configured during the project.
Acceptance testing	Court personnel will perform acceptance testing as described in Section 4.4 to ensure

4.4 - Acceptance Testing

At the conclusion of installation, but prior to acceptance, Court IT personnel will perform tests to assure that configuration and performance meet the requirement. This testing will include:

- Confirming functionality of A/V systems listed in Attachment 1

5. ENVIRONMENT

The contractor shall ensure that only properly certified installers perform the duties associated with installation and configuration of the new switches.

5.1 – Location for Performance

The location for delivery and performance will be 80 Lafayette St., Jefferson City, MO 65101. Prior to delivery and installation, the contractor will attend a Kickoff Meeting either in person or via teleconference to finalize the details and address any questions or concerns related to schedule, shipping, and installation.

5.2 – Security

All contractor personnel must provide photo I.D. before entering the courthouse. All contractor personnel must be escorted by Court personnel throughout every area of the courthouse. All contractor personnel must wear face masks.

5.3 – Contractor Furnished Material

The replacement A/V equipment listed in Attachment 1, including all connectors, cables, cords, and ancillary parts necessary for completion of this contract shall be provided by the contractor.

5.4 – Government Furnished Material

The Court shall provide equipment racks and configuration files for current A/V systems.

6. PERIOD OF PERFORMANCE

The overall period of performance for this contract will be the purchase order acceptance date to 9/30/21. See Section 4.1 for detailed breakdown of anticipated schedule for delivery and installation.

7. PAYMENT

The contractor shall submit an invoice for full payment in accordance with Clause 7 – 125, Invoices, after receiving acceptance of all products and services in writing from the Contracting Officer.

8. CLAUSES

Clause B-5, Clauses Incorporated by Reference

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the contracting officer will make their full text available. Also, the full text of a clause may be accessed electronically at this address:

<http://www.uscourts.gov/procurement.aspx>.

Clause or Provision #	Title
1-10	Gratuities or Gifts
1-15	Disclosure of Contractor Information to the Public
2-10	Responsibility of Products
2-25A	Delivery Term and Contractor's Responsibilities
2-35	F.o.b Destination, Within Judiciary's Premises
2-70	Site Visit
2-90D	Option to Extend the Term of The Contract
2-100	Brand Name or Equal
2-140	Judiciary IT Security Standards
3-210	Protests
6-20	Insurance – Work On or Within a Judiciary Facility
7-30	Public Use of the Name of the Federal Judiciary
7-35	Disclosure or Use of Information

7-65	Protection of Judiciary Buildings, Equipment, and Vegetation
7-115	Availability of Funds
7-125	Invoices
7-130	Interest (Prompt Payment)
7-135	Payments
7-140	Discounts for Prompt Payment
7-235	Disputes

Attachment 1

- Courtrooms – Projectors
 - *Current model: Sanyo PDG-DHT8000L
 - * Quantity needed: 2 (Courtrooms 4A & 4B)

- Courtrooms - Wireless microphones
 - *Current model: AKG DMS 700
 - * Quantity needed: 4

- Courtrooms - Power Amplifier
 - *Current model: QSC CX204V
 - * Quantity needed: 4

- Courtroom 3A – Annotation System replacement
 - *Current model: Boeckeler Pointmaker CPN 5000
 - *Extron Annotator 300, or an equivalent, model as replacement

- Courtrooms – DVD/Blu-ray Player with Serial port
 - *Current model: ONKYO BD-SP808
 - * Quantity needed: 6 (Courtrooms, Jury Assembly Room, and 4th floor conference room)

- Courtrooms - Document Camera
 - *Current model: Wolfvision VZ9Plus3 with RS-232 (serial) port
 - * Quantity needed: 4

We will accept any equivalent equipment that works with our current system. A walk through is encouraged so the contractor can look at the space